DURGOO

SERVICE FOR ALL

ALL KINDS OF GOODS IMPORT & EXPORT

86, Arambag, Motijheel,
Dhaka, Bangladesh.

durgoo77@gmail.com

+880 1680 6804 0907

www.durgoo.com

WeChat

WhatsApp

SMART DOOR & LOCK

SECURE | SMART | RELIABLE



IMTIAZ HOSSAIN SHAHIN
UAE REPRESENTATIVE
+971 5074 06519
Fujairah, UAE.

MOHAMMAD RAHMATULLA
AFRICA REPRESENTATIVE
+267 7177 2332
Francistown, Botswana.

MOHAMMAD AMRAN
SAUDI ARABIA REPRESENTATIVE
+966 5734 60047
Dammam Al Adama State,
Next to Al Wafa Market,
Saudi Arabia.

PREMIUM QUALITY
Trusted Products

GLOBAL NETWORK
Worldwide Service

RELIABLE PARTNER
Business You Can Trust

CUSTOMER SATISFACTION
Our First Priority

BRAND EXPERIENCES

19 Years Lock Manufacturing History

PRODUCTION CAPACITY

Monthly Production **300 Thousand**

PRODUCTION SCALE

12 Smart Lock Production line

Our company is now a smart lock industry chain enterprise integrating design, R & D, production, sales, after-sales service and product testing

MANUFACTURING CAPACITY



Our company covers an area of 59000 m² and is equipped with a die-casting workshop, milling workshop, polishing workshop, assembly workshop, testing laboratory, and warehouse.



Factory Environment



Factory Environment



Die-casting Workshop



Die-casting Workshop



Milling Workshop



Milling Workshop



Polishing Workshop



Polishing Workshop



Polishing Workshop



Assembly Workshop



Assembly Workshop



Warehouse



QUALITY CONTROL

SAKURA owns the most authoritaive CNAS testing room

TEST EQUIPMENT ↘

01.
Salt test



02.
Aging test



03.
Durability testing machine
(cylinder/lock body)



04.
Dust & Sand testing machine




05.
Lock (function durable) testing machine



06.
Whole set durability testing



07.
Electrostatic discharge generator



08.
Lock life testing machine



09.
Raining test



10.
Anti theft security test



11.
Violent door swinging testing machine



12.
Programmable life testing system with robotic arm



BRAND HONOR & CERTIFICATION



























2024 French Design Award

American Good Design 2024 Silver Award

MUSE Design Awards 2023 Silver Winner

Leading Brand in China's Smart Lock Industry

Leading Smart Lock Brand in China

Top 10 Lock Brands in China

Well-Known Smart Lock Brand in China

Consumer Preferred Brand in China's Lock Industry

Top 500 in Construction Supply Chain Preferred Supplier · Smart Lock

National Quality Integrity Advanced Enterprise

National Quality Inspection Stable and Qualified Product

Quality Leading Brand in China's Smart Lock Industry

National Product and Service Quality Integrity Demonstration Enterprise

The "Golden Hook" Prize at China Lock and Process Equipment Design Competition



DZ-F30
Face/Palm vein recognition smart lock


DZ-F30 Palm Vein & Face Recognition Lock

AI intelligent interactive screen, capable of controlling door locks through touch, voice and other interactive methods.
Voice message, holiday greetings and other functions make it no longer just an ordinary smart lock





● Matte black



Front Product Size Back Product Size
(Unit:mm)

Function Parameter

Unlock Way	Face recognition, Vein, Password, Card, Combination, APP, NFC, Key	**Alarm**	Anti-theft, Wrong code, Low battery, Coerce force, Casually stay
Color	Matte black	**Material**	Alum alloy
Lock body	60x68	**Door Thickness**	50-110mm
Face capacity	100	**Palm vein capacity**	100
Fingerprint capacity	100	**Else capacity (Password & Card)**	Password 100, Card 100
Display	Front: AI Smart screen Back: 4.5 inches(1080P)	**Working Temperature**	-25°C~+70°C
Power	5000mAh Li battery	**External power supply**	Type-C External 5V power supply

AI Smart screen · Voice control · Actual time viewing · Video intercom · Anti-lock · Doorbell · Mute mode · Fake password · Auto-lock · Dual cameras · Breathing light

DZ-D60 ProMax



Front: 480.2mm(L)x125.7mm(W)x52.1mm(T)
Back: 480.2mm(L)x125.1mm(W)x63.2mm(T)

Unlock Way	Face recognition, Fingerprint, Password, Card, Combination, APP, Key	**Alarm**	Anti-theft, Wrong code, Low battery, Coerce force, Casually stay
Color	Matte black	**Material**	Alum alloy (CNC Machining) Tempered glass
Lock body	60x68	**Door Thickness**	50-110mm
Face capacity	50	**Fingerprint capacity**	50
Password capacity	100	**Card capacity**	100
Display	4.5 inches	**Working Temperature**	-25℃~+70℃
Power	5000mAh Li battery	**External power supply**	Type-C External 5V power supply

Actual time viewing · Video intercom · Anti-lock · Doorbell · Mute mode · OLED display · Fake password · Auto-lock · Dual cameras · Breathing light

DZ-D50



Front: 418.0mm(L)x75.0mm(W)x65.1mm(T)
Back: 412.0mm(L)x79.0mm(W)x77.5mm(T)

Unlock Way	Face recognition, Fingerprint, Password, Card, Combination, APP, Key	**Alarm**	Anti-theft, Wrong code, Low battery, Coerce force, Casually stay
Color	Matte black	**Material**	Alum alloy (CNC Machining) Tempered glass
Lock body	60x68	**Door Thickness**	50-110mm
Face capacity	50	**Fingerprint capacity**	50
Password capacity	100	**Card capacity**	100
Display	4.5 inches	**Working Temperature**	-25℃~+70℃
Power	4200mAh Li battery	**External power supply**	Type-C External 5V power supply

Actual time viewing · Video intercom · Anti-lock · Doorbell · Mute mode · OLED display · Fake password · Auto-lock

DZ-D30 Ultra



Front: 435.9mm(L)x76.0mm(W)x59.5mm(T)
Back: 423.5mm(L)x83.4mm(W)x73.7mm(T)

Unlock Way	Face recognition, Fingerprint, Password, Card, Combination, APP, Key	**Alarm**	Anti-theft, Wrong code, Low battery, Coerce force, Casually stay
Color	Matte black	**Material**	Alum alloy (CNC Machining) Tempered glass
Lock body	60x68	**Door Thickness**	50-110mm
Face capacity	50	**Fingerprint capacity**	50
Password capacity	100	**Card capacity**	100
Display	5.5 inches	**Working Temperature**	-25℃~+70℃
Power	5000mAh+3500mAh Li battery	**External power supply**	Type-C External 5V power supply

Actual time viewing · Video intercom · Anti-lock · Doorbell · Mute mode · OLED display · Fake password · Auto-lock · Triple cameras · Dual Li battery · Breathing light

DZ-F27



Front: 421.7mm(L)x81.3mm(W)x65.4mm(T)
Back: 414.0mm(L)x79.0mm(W)x73.2mm(T)

Unlock Way	Face recognition, Fingerprint, Password, Card, Combination, APP, Key	**Alarm**	Anti-theft, Wrong code, Low battery, Coerce force, Casually stay
Color	Gray	**Material**	Alum alloy
Lock body	60x68	**Door Thickness**	50-110mm
Face capacity	50	**Fingerprint capacity**	50
Password capacity	100	**Card capacity**	100
Display	4.5 inches	**Working Temperature**	-25℃~+70℃
Power	4200mAh+3200mAh Li battery	**External power supply**	Type-C External 5V power supply

Actual time viewing · Video intercom · Under display fingerprint · Anti-lock · Doorbell · Mute mode · OLED display · Fake password · Auto-lock · Dual cameras · Dual Li battery

DZ-F20



Front: 418.6mm(L)x71.9mm(W)x59.6mm(T)
Back: 414.0mm(L)x79.0mm(W)x73.2mm(T)

Unlock Way	Face recognition, Fingerprint, Password, Card, Combination, APP, Key	**Alarm**	Anti-theft, Wrong code, Low battery, Coerce force, Casually stay
Color	Gray	**Material**	Alum alloy
Lock body	60x68	**Door Thickness**	50-110mm
Face capacity	50	**Fingerprint capacity**	50
Password capacity	100	**Card capacity**	100
Display	4.5 inches	**Working Temperature**	-25℃~+70℃
Power	4200mAh+3200mAh Li battery	**External power supply**	Type-C External 5V power supply

Actual time viewing · Video intercom · Anti-lock · Doorbell · Mute mode · Fake password · Auto-lock · Dual cameras · Dual Li battery · Breathing light

DZ-F19 ProMax



Front: 414.0mm(L)x79.0mm(W)x51.8mm(T)
Back: 414.0mm(L)x79.0mm(W)x74.9mm(T)

Unlock Way	Face recognition, Palm vein, Fingerprint, Password, Card, Combination, APP, NFC, Key	**Alarm**	Anti-theft, Wrong code, Low battery, Coerce force, Casually stay
Color	Matte black	**Material**	Alum alloy
Lock body	60x68	**Door Thickness**	50-110mm
Face capacity	50	**Palm vein capacity**	50
Fingerprint capacity	100	**Else capacity (Password & Card)**	Password 100, Card 100
Display	4.5 inches(1080P)	**Working Temperature**	-25℃~+70℃
Power	5000mAh+3000mAh Li battery	**External power supply**	Type-C External 5V power supply

Actual time viewing · Video intercom · Anti-lock · Doorbell · Mute mode · Fake password · Auto-lock · Dual Li battery · Breathing light

DZ-F18 Plus



Front: 413.6mm(L)x78.5mm(W)x63.5mm(T)
Back: 412.0mm(L)x80.2mm(W)x75.8mm(T)

Unlock Way	Face recognition, Vein, Password, Card, Combination, APP, Key	**Alarm**	Anti-theft, Wrong code, Low battery, Coerce force, Casually stay
Color	Matte black	**Material**	Alum alloy+Tempered glass
Lock body	60x68	**Door Thickness**	50-110mm
Face capacity	50	**Vein capacity**	50
Password capacity	100	**Card capacity**	100
Display	4.5 inches(1080P)	**Working Temperature**	-25°C~+70°C
Power	5000mAh+3000mAh Li battery	**External power supply**	Type-C External 5V power supply

Actual time viewing · Video intercom · Anti-lock · Doorbell · Mute mode · Fake password · Auto-lock · Triple cameras · Dual Li battery · Breathing light

DZ-F17VR



Front: 418.6mm(L)x71.9mm(W)x59.6mm(T)
Back: 414.0mm(L)x79.0mm(W)x73.2mm(T)

Unlock Way	Face recognition, Fingerprint, Password, Card, Combination, APP, Key	**Alarm**	Anti-theft, Wrong code, Low battery, Coerce force, Casually stay
Color	Matte black	**Material**	Alum alloy
Lock body	60x68	**Door Thickness**	50-110mm
Face capacity	50	**Fingerprint capacity**	50
Password capacity	100	**Card capacity**	100
Display	4.5 inches	**Working Temperature**	-25°C~+70°C
Power	4200mAh Li battery	**External power supply**	Type-C External 5V power supply

Actual time viewing · Video intercom · Anti-lock · Doorbell · Fake password · Auto-lock · Breathing light

DZ-D20



Front: 430.1mm(L)x76.1mm(W)x59.5mm(T)
Back: 412.0mm(L)x80.2mm(W)x75.8mm(T)

Unlock Way	Face recognition, Fingerprint, Password, Card, Combination, APP, Key	**Alarm**	Anti-theft, Wrong code, Low battery, Coerce force, Casually stay
Color	Gray	**Material**	Alum alloy
Lock body	60x68	**Door Thickness**	50-110mm
Face capacity	50	**Fingerprint capacity**	50
Password capacity	100	**Card capacity**	100
Display	4.5 inches	**Working Temperature**	-25°C~+70°C
Power	4200mAh Li battery	**External power supply**	Type-C External 5V power supply

Actual time viewing · Video intercom · Anti-lock · Doorbell · Mute mode · OLED display · Fake password · Auto-lock · Breathing light

DZ-F13VR



Front: 421.7mm(L)x81.3mm(W)x65.4mm(T)
Back: 414.0mm(L)x79.0mm(W)x73.2mm(T)

Unlock Way	Face recognition, Fingerprint, Password, Card, Combination, APP, Key	**Alarm**	Anti-theft, Wrong code, Low battery, Coerce force, Casually stay
Color	Blue	**Material**	Alum alloy
Lock body	60x68	**Door Thickness**	50-110mm
Face capacity	50	**Fingerprint capacity**	50
Password capacity	100	**Card capacity**	100
Display	4 inches	**Working Temperature**	-25°C~+70°C
Power	5000mAh Li battery	**External power supply**	Type-C External 5V power supply

Actual time viewing · Video intercom · Anti-lock · Doorbell · Fake password · Auto-lock · Breathing light

DZ-G60 Max



Front: 410.5mm(L)x76.8mm(W)x58.8mm(T)
Back: 423.5mm(L)x83.4mm(W)x73.7mm(T)

Unlock Way	Face recognition, Vein, Password, Card, Combination, APP, Key	**Alarm**	Anti-theft, Wrong code, Low battery, Coerce force, Casually stay
Color	Brushed gray	**Material**	Alum alloy
Lock body	60x68	**Door Thickness**	50-110mm
Face capacity	50	**Vein capacity**	50
Password capacity	100	**Card capacity**	100
Display	5.5 inches	**Working Temperature**	-25°C~+70°C
Power	4200mAh+3500mAh Li battery	**External power supply**	Type-C External 5V power supply

Actual time viewing · Video intercom · Anti-lock · Doorbell · Mute mode · OLED display · Fake password · Auto-lock delay · Dual cameras · Breathing light

DZ-F5 ProMax



Front: 400.0mm(L)x75.0mm(W)x64.9mm(T)
Back: 412.0mm(L)x80.2mm(W)x75.8mm(T)

Unlock Way	Face recognition, Fingerprint, Password, Card, Combination, APP, Key	**Alarm**	Anti-theft, Wrong code, Low battery, Coerce force, Casually stay
Color	Matte black	**Material**	Alum alloy
Lock body	60x68	**Door Thickness**	50-110mm
Face capacity	50	**Fingerprint capacity**	50
Password capacity	100	**Card capacity**	100
Display	4.5 inches	**Working Temperature**	-25°C~+70°C
Power	4200mAh Li battery	**External power supply**	Type-C External 5V power supply

Doorbell capture · Anti-lock · Doorbell · Mute mode · OLED display · Fake password · Auto-lock · Breathing light



DZ-H300V

Big Size Handle smart lock

DZ-H300V



Front: 373.0mm(L)x161.2mm(W)x77.0mm(T)
Back: 373.0mm(L)x161.2mm(W)x77.0mm(T)

Unlock Way	Fingerprint, Password, Card, Combination, APP, Key	**Alarm**	Anti-theft, Wrong code, Low battery, Coerce force, Casually stay
Color	Matte black	**Material**	Aluminum alloy
Lock body	60x68	**Door Thickness**	38-110mm
Fingerprint capacity	100	**Password capacity**	100
Card capacity	100	**Working Temperature**	-25°C~+70°C
Power	4 AA Batteries + 10000mAh Li battery	**External power supply**	Type-C External 5V power supply

Actual time viewing | Video intercom | Anti-peep | Party Mode | Anti-lock | Doorbell | Fake password

DZ-6688

Front: 379.8mm(L)x156.5mm(W)x74.3mm(T)
Back: 379.8mm(L)x156.5mm(W)x79.9mm(T)

Unlock Way	Fingerprint, Password, Card, Combination, APP, Key	**Alarm**	Anti-theft, Wrong code, Low battery Coerce force, False lock
Color	Matte black	**Material**	Alum alloy
Lock body	60x68	**Door Thickness**	38-110mm
Fingerprint capacity	100	**Password capacity**	100
Card capacity	100	**Working Temperature**	-25°C~+70°C
Power	4 AA Batteries	**External power supply**	Type-C External 5V power supply

Anti-peep | Party Mode | Anti-lock | Doorbell | Fake password

DZ-6699



Front: 373.0mm(L)x157.1mm(W)x79.7mm(T)
Back: 373.0mm(L)x157.1mm(W)x79.5mm(T)

Unlock Way	Fingerprint, Password, Card, Combination, APP, Key	**Alarm**	Anti-theft, Wrong code, Low battery
Color	Matte black, Red bronze	**Material**	Aluminum alloy
Lock body	60x68	**Door Thickness**	38-110mm
Fingerprint capacity	100	**Password capacity**	100
Card capacity	100	**Working Temperature**	-25°C~+70°C
Power	4 AA Batteries	**External power supply**	Type-C External 5V power supply

Anti-peep | Party Mode | Anti-lock | Doorbell | Fake password

DZ-6622



Front: 373.0mm(L)x165.8mm(W)x84.5mm(T)
Back: 373.0mm(L)x165.8mm(W)x84.8mm(T)

Unlock Way	Fingerprint, Password, Card, Combination, Key	**Alarm**	Anti-theft, Wrong code, Low battery
Color	Matte black	**Material**	Alum alloy
Lock body	60x68	**Door Thickness**	38-110mm
Fingerprint capacity	100	**Password capacity**	100
Card capacity	100	**Working Temperature**	-25°C~+70°C
Power	4 AA Batteries	**External power supply**	Type-C External 5V power supply

Anti-peep · Party Mode · Anti-lock · Doorbell · Fake password

DZ-1022



Front: 373.0mm(L)x165.7mm(W)x86.0mm(T)
Back: 373.0mm(L)x165.7mm(W)x86.0mm(T)

Unlock Way	Fingerprint, Password, Card, Combination, Key	**Alarm**	Anti-theft, Wrong code, Low battery
Color	Matte black	**Material**	Aluminum alloy
Lock body	60x68	**Door Thickness**	38-110mm
Fingerprint capacity	100	**Password capacity**	100
Card capacity	100	**Working Temperature**	-25°C~+70°C
Power	4 AA Batteries	**External power supply**	Type-C External 5V power supply

Anti-peep · Party Mode · Anti-lock · Doorbell · Fake password

DZ-6655



Front: 373.0mm(L)x155.1mm(W)x80.4mm(T)
Back: 373.0mm(L)x155.1mm(W)x80.4mm(T)

Unlock Way	Fingerprint, Password, Card, Combination, Key	**Alarm**	Anti-theft, Wrong code, Low battery
Color	Matte black, Red bronze	**Material**	Zinc alloy
Lock body	60x68	**Door Thickness**	38-110mm
Fingerprint capacity	100	**Password capacity**	100
Card capacity	100	**Working Temperature**	-25°C~+70°C
	4 AA Batteries	**External power supply**	Type-C External 5V power supply

Anti-peep · Party Mode · Anti-lock · Doorbell · Fake password · Breathing light

DZ-K3



Front: 373.0mm(L)x161.0mm(W)x83.8mm(T)
Back: 373.0mm(L)x161.0mm(W)x83.8mm(T)

Unlock Way	Fingerprint, Password, Card, Combination, Key	**Alarm**	Anti-theft, Wrong code, Low battery
Color	Matte black	**Material**	Aluminum alloy
Lock body	60x68	**Door Thickness**	38-110mm
Fingerprint capacity	100	**Password capacity**	100
Card capacity	100	**Working Temperature**	-25°C~+70°C
Power	4 AA Batteries	**External power supply**	Type-C External 5V power supply

Party Mode · Anti-lock · Fake password

DZ-1011



Front: 373.0mm(L)x165.7mm(W)x86.0mm(T)
Back: 373.0mm(L)x165.7mm(W)x86.0mm(T)

Unlock Way	Fingerprint, Password, Card, Combination, Key	**Alarm**	Anti-theft, Wrong code, Low battery
Color	Matte black	**Material**	Aluminum alloy+Tempered glass
Lock body	60x68	**Door Thickness**	38-110mm
Fingerprint capacity	100	**Password capacity**	100
Card capacity	100	**Working Temperature**	-25°C~+70°C
Power	4 AA Batteries	**External power supply**	Type-C External 5V power supply

Anti-peep · Party Mode · Anti-lock · Doorbell · Fake password

DZ-K5



Front: 373.0mm(L)x161.0mm(W)x83.8mm(T)
Back: 373.0mm(L)x161.0mm(W)x83.8mm(T)

Unlock Way	Fingerprint, Password, Card, Combination, Key	**Alarm**	Anti-theft, Wrong code, Low battery
Color	Matte black	**Material**	Aluminum alloy
Lock body	60x68	**Door Thickness**	38-110mm
Fingerprint capacity	100	**Password capacity**	100
Card capacity	100	**Working Temperature**	-25°C~+70°C
Power	4 AA Batteries	**External power supply**	Type-C External 5V power supply

Anti-peep · Party Mode · Anti-lock · Doorbell · Fake password



DZ-F8R

Small Size Handle smart lock
(Face recognition version)

DZ-F1R



Front: 293.0mm(L)x157.2mm(W)x74.5mm(T)
Back: 293.0mm(L)x155.8mm(W)x74.5mm(T)

Unlock Way	Face recognition, Fingerprint, Password, Card, Combination, APP, Key	**Alarm**	Anti-theft, Wrong code, Low battery, Coerce force, Casually stay
Color	Matte black	**Material**	Alum alloy
Lock body	55x50 / 55x72 / 60x85	**Door Thickness**	38-60mm
Face capacity	50	**Fingerprint capacity**	50
Password capacity	100	**Card capacity**	100
Display	3.36 inches	**Working Temperature**	-25°C~+70°C
Power	2300mAh Li battery	**External power supply**	Type-C External 5V power supply

Electronic Anti-lock · Party Mode · Doorbell · Fake password · Remote unlock

DZ-F3R



Front: 293.0mm(L)x162.0mm(W)x75.6mm(T)
Back: 293.0mm(L)x160.6mm(W)x73.1mm(T)

Unlock Way	Face recognition, Fingerprint, Password, Card, Combination, APP, Key	**Alarm**	Anti-theft, Wrong code, Low battery, Coerce force, Casually stay
Color	Matte black	**Material**	Alum alloy
Lock body	55x50 / 55x72 / 60x85	**Door Thickness**	38-60mm
Face capacity	50	**Fingerprint capacity**	50
Password capacity	100	**Card capacity**	100
Display	3.36 inches	**Working Temperature**	-25°C~+70°C
Power	2300mAh Li battery	**External power supply**	Type-C External 5V power supply

Electronic Anti-lock · Party Mode · Doorbell · Fake password · Remote unlock

DZ-F8R



Front: 293.5mm(L)x156.8mm(W)x64.9mm(T)
Back: 293.5mm(L)x156.8mm(W)x64.9mm(T)

Unlock Way	Face recognition, Fingerprint, Password, Card, Combination, APP, Key	**Alarm**	Anti-theft, Wrong code, Low battery, Coerce force, Casually stay
Color	Matte black	**Material**	Steel
Lock body	55x50 / 55x72 / 60x85	**Door Thickness**	38-60mm
Face capacity	50	**Fingerprint capacity**	50
Password capacity	100	**Card capacity**	100
Display	3.36 inches	**Working Temperature**	-25°C~+70°C
Power	2300mAh Li battery	**External power supply**	Type-C External 5V power supply

Party Mode · Doorbell · Fake password · Remote unlock



DZ-7009
Small Size Handle smart lock


DZ-7009 Small Size Handle Lock

Matte black smart lock with IMD technology
scratch-resistant, smudge-free, and fits most door types





● Matte black



Front & Back Product Size (Unit:mm)

Function Parameter

Unlock Way	Fingerprint, Password, Card, Combination, Key	**Alarm**	Wrong code, Low battery
Color	Matte black	**Material**	Alum alloy
Lock body	55x50 / 55x72 / 60x85	**Door Thickness**	38-60mm
Fingerprint capacity	100	**Password capacity**	100
Card capacity	100	**Working Temperature**	-25°C~+70°C
Power	4 AAA Batteries	**External power supply**	Type-C External 5V power supply

Electronic anti-lock · Party mode · Doorbell · Fake password

DZ-7010



Front: 260.0mm(L)x157.6mm(W)x80.0mm(T)
Back: 260.0mm(L)x157.6mm(W)x80.0mm(T)

Unlock Way	Fingerprint, Password, Card, Combination, Key	**Alarm**	Wrong code, Low battery
Color	Matte black	**Material**	Alum alloy
Lock body	55x50 / 55x72 / 60x85	**Door Thickness**	38-60mm
Fingerprint capacity	100	**Password capacity**	100
Card capacity	100	**Working Temperature**	-25°C~+70°C
Power	4 AAA Batteries	**External power supply**	Type-C External 5V power supply

Electronic Anti-lock · Party Mode · Doorbell · Fake password

DZ-7012



Front: 320.0mm(L)x154.5mm(W)x81.0mm(T)
Back: 320.0mm(L)x154.5mm(W)x81.0mm(T)

Unlock Way	Fingerprint, Password, Card, Combination, Key	**Alarm**	Wrong code, Low battery
Color	Matte black	**Material**	Alum alloy
Lock body	55x50 / 55x72 / 60x85	**Door Thickness**	38-60mm
Fingerprint capacity	100	**Password capacity**	100
Card capacity	100	**Working Temperature**	-25°C~+70°C
Power	4 AAA Batteries	**External power supply**	Type-C External 5V power supply

Electronic Anti-lock · Party Mode · Doorbell · Fake password

DZ-7013



Front: 296.0mm(L)x157.9mm(W)x80.0mm(T)
Back: 296.0mm(L)x157.8mm(W)x78.6mm(T)

Unlock Way	Fingerprint, Password, Card, Combination, Key	**Alarm**	Wrong code, Low battery
Color	Matte black	**Material**	Alum alloy
Lock body	55x50 / 55x72 / 60x85	**Door Thickness**	38-60mm
Fingerprint capacity	100	**Password capacity**	100
Card capacity	100	**Working Temperature**	-25°C~+70°C
Power	4 AAA Batteries	**External power supply**	Type-C External 5V power supply

Electronic Anti-lock · Party Mode · Doorbell · Fake password

DZ-7015



Front: 209.3mm(L)x163.5mm(W)x82.3mm(T)
Back: 209.3mm(L)x163.5mm(W)x81.0mm(T)

Unlock Way	Fingerprint, Password, Card, Combination, Key	**Alarm**	Wrong code, Low battery
Color	Matte black	**Material**	Alum alloy
Lock body	55x50 / 55x72 / 60x85	**Door Thickness**	38-60mm
Fingerprint capacity	100	**Password capacity**	100
Card capacity	100	**Working Temperature**	-25°C~+70°C
Power	4 AAA Batteries	**External power supply**	Type-C External 5V power supply

Electronic Anti-lock · Party Mode · Doorbell · Fake password

DZ-F1



Front: 260.0mm(L)x153.0mm(W)x78.0mm(T)
Back: 260.0mm(L)x153.0mm(W)x78.0mm(T)

Unlock Way	Fingerprint, Password, Card, Combination, Key	**Alarm**	Wrong code, Low battery
Color	Matte black	**Material**	Alum alloy
Lock body	55x50 / 55x72 / 60x85	**Door Thickness**	38-60mm
Fingerprint capacity	100	**Password capacity**	100
Card capacity	100	**Working Temperature**	-25°C~+70°C
Power	4 AAA Batteries	**External power supply**	Type-C External 5V power supply

Electronic Anti-lock · Party Mode · Doorbell · Fake password

DZ-F2



Front: 260.0mm(L)x153.0mm(W)x78.0mm(T)
Back: 260.0mm(L)x153.0mm(W)x78.0mm(T)

Unlock Way	Fingerprint, Password, Card, Combination, Key	**Alarm**	Wrong code, Low battery
Color	Matte black	**Material**	Alum alloy
Lock body	55x50 / 55x72 / 60x85	**Door Thickness**	38-60mm
Fingerprint capacity	100	**Password capacity**	100
Card capacity	100	**Working Temperature**	-25°C~+70°C
Power	4 AAA Batteries	**External power supply**	Type-C External 5V power supply

Electronic Anti-lock · Party Mode · Doorbell · Fake password

DZ-F3



Front: 260.0mm(L)x153.0mm(W)x78.0mm(T)
Back: 260.0mm(L)x153.0mm(W)x78.0mm(T)

Unlock Way	Fingerprint, Password, Card, Combination, Key	**Alarm**	Wrong code, Low battery
Color	Matte black	**Material**	Alum alloy
Lock body	55x50 / 55x72 / 60x85	**Door Thickness**	38-60mm
Fingerprint capacity	100	**Password capacity**	100
Card capacity	100	**Working Temperature**	-25°C~+70°C
Power	4 AAA Batteries	**External power supply**	Type-C External 5V power supply

Electronic Anti-lock · Party Mode · Doorbell · Fake password

DZ-F4



Front: 260.0mm(L)x153.0mm(W)x78.0mm(T)
Back: 260.0mm(L)x153.0mm(W)x78.0mm(T)

Unlock Way	Fingerprint, Password, Card, Combination, Key	**Alarm**	Wrong code, Low battery
Color	Matte black	**Material**	Alum alloy
Lock body	55x50 / 55x72 / 60x85	**Door Thickness**	38-60mm
Fingerprint capacity	100	**Password capacity**	100
Card capacity	100	**Working Temperature**	-25°C~+70°C
Power	4 AAA Batteries	**External power supply**	Type-C External 5V power supply

Electronic Anti-lock · Party Mode · Doorbell · Fake password



DZ-7003
Lever set smart lock

DZ-7003 Lever Set





Front: 156.0mm(L)x55.0mm(W)x62.9mm(T)
Back: 156.0mm(L)x55.0mm(W)x62.6mm(T)
Rose: 55.0mm(L)x55.0mm(W)x10.0(T)

Electronic Anti-lock | Party Mode

Function Parameter

Unlock Way	Fingerprint, Key
Alarm	Wrong code, Low battery
Color	Silver, Matte black
Material	Alum alloy
Lock body	55x72
Door Thickness	38-50mm
Fingerprint capacity	20
Working Temperature	-25°C~+70°C
Power	4 AAA Batteries
External power supply	Type-C External 5V power supply

DZ-FT05 Lever Set





Front: 174.5mm(L)x60.0mm(W)x65.5mm(T)
Back: 174.5mm(L)x60.0mm(W)x66.0mm(T)
Rose: 60.0mm(L)x60.0mm(W)x10.0(T)

Electronic Anti-lock | Party Mode | Fake password

Function Parameter

Unlock Way	Fingerprint, Password, Card, Combination, Key
Alarm	Wrong code, Low battery
Color	Brushed gray, Matte black
Material	Alum alloy+ Zinc alloy
Lock body	55x72 / 60x85 / Latch
Door Thickness	38-50mm
Fingerprint capacity	100
Password capacity	50
Card capacity	50
Working Temperature	-25°C~+70°C
Power	4 AAA Batteries
External power supply	Type-C External 5V power supply



DZ-7005



Front: 166.4mm(L)x71.4mm(W)x32.2mm(T)
Back: 163.2mm(L)x70.2mm(W)x32.0mm(T)

Unlock Way	Fingerprint, Password, Card, Key	**Alarm**	Wrong code, Low battery
Color	Matte black	**Material**	Alum alloy
Lock body	Latch(60/70)	**Door Thickness**	40-50mm
Fingerprint capacity	100	**Password capacity**	100
Card capacity	100	**Working Temperature**	-25°C~+70°C
Power	4 AA Batteries	**External power supply**	USB External 5V power supply

Anti-lock Doorbell Fake password

DZ-7006



Front: 188.5mm(L)x74.5mm(W)x71.8mm(T)
Back: 188.5mm(L)x74.5mm(W)x89.7mm(T)

Unlock Way	Fingerprint, Password, Card, Key	**Alarm**	Wrong code, Low battery
Color	Matte black	**Material**	Alum alloy
Lock body	Latch(60/70)	**Door Thickness**	40-80mm
Fingerprint capacity	100	**Password capacity**	100
Card capacity	100	**Working Temperature**	-25°C~+70°C
Power	4 AA Batteries	**External power supply**	USB External 5V power supply

Anti-lock Doorbell Fake password

DZ-7007



Front: 164.8mm(L)x70.0mm(W)x25.0mm(T)
Back: 168.4mm(L)x73.6mm(W)x48.7mm(T)

Unlock Way	Fingerprint, Password, Card, Key	**Alarm**	Wrong code, Low battery
Color	Matte black	**Material**	Alum alloy
Fingerprint capacity	100	**Password capacity**	100
Card capacity	100	**Working Temperature**	-25°C~+70°C
Power	4 AA Batteries	**External power supply**	USB External 5V power supply

Anti-lock Doorbell Fake password

DZ-7008



Front: 163.2mm(L)x70.2mm(W)x32.2mm(T)
Back: 163.2mm(L)x70.2mm(W)x32.0mm(T)

Unlock Way	Fingerprint, Password, Card, Key	**Alarm**	Wrong code, Low battery
Color	Matte black	**Material**	Alum alloy
Lock body	Latch(60/70)	**Door Thickness**	40-50mm
Fingerprint capacity	100	**Password capacity**	100
Card capacity	100	**Working Temperature**	-25°C~+70°C
Power	4 AA Batteries	**External power supply**	USB External 5V power supply

Anti-lock Doorbell Fake password



SAKURA Q01



Front: 32.5mm(L)x32.5mm(W)x9.0mm(T)
Back: 38.0mm(L)x110.0mm(W)x18.5mm(T)

Unlock Way	Fingerprint, Morse code	**Alarm**	Low battery
Color	Matte black	**Material**	ABS+PC
Door Thickness	⩾15mm	**Working Temperature**	-10°C~+45°C
Fingerprint capacity	20	**Password capacity**	1 (Morse code)
Power	3 AAA Batteries	**External power supply**	Type-C External 5V power supply

SAKURA QL02



Front: 35.0mm(L)x32.5mm(W)x8.5mm(T)
Back: 38.0mm(L)x110.0mm(W)x18.5mm(T)

Unlock Way	Fingerprint, Morse code	**Alarm**	Low battery
Color	Gold, Pearl chrome	**Material**	Zinc alloy
Door Thickness	⩾15mm	**Working Temperature**	-10°C~+45°C
Fingerprint capacity	20	**Password capacity**	1 (Morse code)
Power	3 AAA Batteries	**External power supply**	Type-C External 5V power supply

SAKURA QL01



Front: 38.0mm(L)x80.0mm(W)x8.5mm(T)
Back: 38.0mm(L)x110.0mm(W)x18.5mm(T)

Unlock Way	Fingerprint, Morse code	**Alarm**	Low battery
Color	Gold, Pearl chrome	**Material**	Zinc alloy
Door Thickness	⩾15mm	**Working Temperature**	-10°C~+45°C
Fingerprint capacity	20	**Password capacity**	1 (Morse code)
Power	3 AAA Batteries	**External power supply**	Type-C External 5V power supply




DZ-8008 Pro Glass lock

Designed for glass doors, this matte black smart lock combines security with sleek aesthetics
the ideal choice for offices and retail spaces





● Matte black



Front & Back Product Size (Unit:mm)

Function Parameter

Unlock Way	Fingerprint, Password, Card, Combination, Key, WIFI	**Alarm**	Wrong code, Low battery
Color	Matte black	**Material**	Alum alloy+Tempered glass
Door Thickness	8-12mm	**Fingerprint capacity**	100
Password capacity	100	**Card capacity**	100
Working Temperature	-20°C~+70°C	**Power**	4 AA Batteries
External power supply	Type-C External 5V power supply		

Party mode · Anti-lock · Doorbell · Fake password · Auto-lock



DZ-U02
U-Lock


DZ-U02 U-Lock

Features a hardened steel shackle that's anti-pry and impact-resistant plus dustproof and water-resistant protection.





● Matte black



Product Size (Unit:mm)

Function Parameter

Unlock Way	Fingerprint, Password, Card, Combination, Key	**Alarm**	Wrong code, Low battery
Color	Matte black	**Material**	Alum alloy+Steel(A3)
Fingerprint capacity	50	**Password capacity**	50
Card capacity	50	**IP Rating**	IP68
Working Temperature	-20°C~+70°C	**Power**	1000mAh Li battery
External power supply	Type-C External 5V power supply		

IP68
Waterproof & dustproof

Large electrical capacity

LOCK BODY OPTIONS

We have different lock bodies and latch that are compatible with different styles of products.



Lock body (60x68)



Lock body (60x85)




Lock body (55x72)



Lock body (55x50)



Latch



Latch